

Starkk Collection
42" Starkk LED Ceiling Fan PN
 330171PN (Polished Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____



Product Information

Product ID	330171PN
Finish	Polished Nickel
Blade Finish	Silver/Walnut
Collection	Starkk Collection


Airflow, Power and Efficiency

Speed	RPM	CFM	CFM/ Watt	Amps	Watts
High	228	3560	74	.4	48
Med	172	2916	114	.3	26
Low	116	1826	163	.21	11

Specifications

Number of Blades	5
Blades Included	Yes
Blade Pitch	12 Degrees
Blade Sweep	42"
Blades Reversible	No
Blade Material	WOOD
Optional Blades Available	No
Downrod 1	1.00 OD X 4.50

Dimensions



Downrod	A	B	C	D
1.00 OD X 4.50	14.15	9.75	10.50	6.30

Primary Control System
 Pull Chain - In project applications using multiple ceiling fans, alternative remote controls may be required. Please contact Kichler Advanced Product Solutions at 844-542-4537 to confirm your project requirements.

Remote Included	No
Wall Control Included	No
Low Ceiling Adaptable	No
Motor Size	153MM X 12MM
Motor Type	AC

Downlight

Downlight Included	Yes
Light Source	LED
Downlight Bulb Included	Integrated

Starkk Collection

42" Starkk LED Ceiling Fan PN

330171PN (Polished Nickel)

Project Name: _____
 Location: _____
 Type: _____
 Qty: _____
 Comments: _____

Available Finishes

Finish	Fixture	Glass	Blade 1	Blade 2
Natural Brass	330171NBR	ETCHED CASED OPAL	MEDIUM CHERRY	DARK CHERRY
Brushed Nickel	330171NI	ETCHED CASED OPAL	SILVER	WALNUT
Olde Bronze	330171OZ	ETCHED CASED OPAL	WALNUT	CHERRY
Polished Nickel	330171PN	ETCHED CASED OPAL	SILVER	WALNUT
Matte White	330171MWH	ETCHED CASED OPAL	MATTE WHITE	MATTE WHITE

Control Options

Product ID	Descr
371042MUL	56K Wall Control System Basic

# of Bulbs/LED Modules	1
Watts	48/26/11
Initial Lumens	1600
Glass Description	Etched Cased Opal
Optional Light Kit Available	No
Efficacy (LMIW)	94
Kelvin Temperature	3000K
Color Rendering Index	80

Safety Listings & Certifications

Safety Rated	Dry
Warranty	www.kichler.com/warranty

Installation

Installation requirements	The electrical junction box and support structure must be securely mounted and capable of reliably supporting a minimum of 50 pounds. Use only ETL/UL listed electrical junction boxes marked ""For Fan Support""
Electrical Requirements	120V 60Hz AC
Minimum Distance Between Bottom Of Fan Blade To Floor	7.5 feet

Notes:

- 1) Information provided is subject to change without notice. All values are design or typical values when measured under laboratory conditions.
- 2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference only.